

UTM Tracking in Order 2 Step

As you know you can't add fields in Order 2 Step. But you can do this via adding some JavaScript code...

Add the following code on "Head Tracking Code"

The code looks like below. DON'T forget to change `<YOUR_LICENCE_KEY>` with your license key.

```
<!-- Global site UTM Simple Tracking Start-->
<script>
handl_custom_params=['_fbclid','_fbq'];var
handl_js=document.createElement("script");handl_js.setAttribute("src","https://track.utmsimple.
handl_js.onload=function(){
setTimeout(
function(){
    all = HandL.getAll()
```


```

Object.keys(all).forEach( (x) => {
  if ( all[x] ){
    if ( $(' .o2step_step1' ).length > 0){
      $(' .o2step_step1' ).prepend( `<input type="hidden" data-custom-type="handl_${x}"
class="elInput" name="custom_type" value="${all[x]}" />` )
    }
  }
}
), 1000
);
</script>
<!-- Global site UTM Simple Tracking End-->

```

BONUS: Trigger Zapier when checkout initiated...

Add the following code under Settings > Tracking Code (Footer Section)



TRACKING CODE

</> HEADER CODE

</> FOOTER CODE

```

1 <script>
2 setTimeout(
3     function(){
4         document.getElementsByName("email")[0].addEventListener('change', funct
5             var data = {};
6             handlj(handlj('form')[2]).serializeArray().map(function(x){data[x.n
7             data = Object.assign(data,HandL.getAll())
8             var names = handlj('[name="name"]').val().split(" ")
9             data['fname'] = names[0]
10            names.shift()
11            data['lname'] = names.join(" ")
12            data['email'] = handlj('[name="email"]').val()
13
14            data['cur_url'] = window.location.href
15            data['product_id'] = $("input[name='purchase[product_id]']")[0].val
16

```

```

<script>
setTimeout(
    function(){
        document.getElementsByName("email")[0].addEventListener('change', function(evt) {
            var data = {};
            handlj(handlj('form')[2]).serializeArray().map(function(x){data[x.name] = x.value;});
            data = Object.assign(data,HandL.getAll())
            var names = handlj('[name="name"]').val().split(" ")
            data['fname'] = names[0]
            names.shift()
            data['lname'] = names.join(" ")
            data['email'] = handlj('[name="email"]').val()

            data['cur_url'] = window.location.href
            data['product_id'] = $("input[name='purchase[product_id]']")[0].value

            console.log(data)
            var json = JSON.stringify(data);
            var xhr = new XMLHttpRequest();

```

```
data = new URLSearchParams( data).toString()
var xmlhttp = new XMLHttpRequest();
xmlhttp.open( "GET", ' https: //hooks. zapier. com/hooks/catch/xxxxxxx/yyyyyy/?' + data, true);
xmlhttp.send( null);
});

}, 500
)
</script>
```

Revision #3

Created 25 January 2023 05:27:06 by UTMSimple

Updated 12 March 2023 15:42:59 by UTMSimple