

Duda Website Builder


UTMSimple / UTM Tracker

How to collect and track UTM variables via Duda step by step

- [UTM Tracking in Duda Website Builder](#)


UTM Tracking in Duda Website Builder

Create your contact form

A group of five diverse people (three men and two women) are gathered around a laptop, looking at the screen. They are dressed in casual business attire. The image is overlaid with a dark blue contact form. The form has a white header with the text 'Generate strong leads' and a sub-header 'Keep this form short and sweet.' Below this, there are five input fields: 'Name:', 'Email:', 'Phone:', 'utm_campaign', and 'utm_source'. At the bottom right of the form is a red button labeled 'Send Message'. At the bottom center of the form is a blue button labeled '+ Add Section'. There are also two red diagonal arrows pointing towards the form.

Add your Form Fields

- Hide the field label
- And make all the fields as text (don't worry, they will be hidden by the script below)
- Add our parameter name as placeholder (**This is very important**). See the list of the parameters here [What can I track with UTMSimple?](#)



Copy/Paste the script in Head HTML

Body end HTML

Enter your own custom HTML/JavaScript to be added just before the closing tag of the </body> element of each page of the site. It is recommended to use this to add custom scripts versus the head section for performance reasons.

```

1 <!-- Global site UTM Simple Tracking Start-->
2 <script>
3 var handl_custom_params=[]
4 var handl_js = document.createElement("script");
5 handl_js.setAttribute("src", "https://track.utmsimple.com/utm.js?license=c87f");
6 handl_js.onload = function() {
7   setTimeout(function(){
8     all_params = HandL.getAll()
9     Object.keys(all_params).map(function(x,y){
10      if (jQuery("[placeholder='"+x+"']").length > 0)
11        jQuery("[placeholder='"+x+"']").val(all_params[x]).attr('val
12      })
13    }, 500);
14  });
15 </script>
16 <!--Global site UTM Simple Tracking End -->
17
18

```

Head HTML

Add custom HTML/JavaScript to the <-head> of each page. For better site performance, we recommend adding it to the </body>.

1

Saved

```

<!-- Global site UTM Simple Tracking Start-->
<script>
var handl_custom_params=[]
var handl_js = document.createElement("script");
handl_js.setAttribute("src", "https://track.utmsimple.com/utm.js?license=<License Key>"),
document.head.appendChild(handl_js),
handl_js.onload = function() {
[]setTimeout(function(){
[]all_values = HandL.getAll()
    all_params = HandL.params('all')
    all_params.map(function(x,y){
    []if (jQuery("[placeholder='"+x+"']").length > 0)
    []
jQuery("[placeholder='"+x+"']").val(all_values[x]).attr('value',all_values[x]).parent().hide(
)
    })
[]}, 500);
};
</script>
<!--Global site UTM Simple Tracking End -->

```

Result

Form Response Notification

The following form has been submitted from your website - <http://handl-digital.multiscreensite.com>.

Name: HandL Test

Email: handltest@testing.com

Phone: [5125005050](tel:5125005050)

utm_campaign: campaign

[Reply to customer](#)