


Samcart Integration

- [Track UTMs in Samcart Checkout Page](#)

Track UTMs in Samcart Checkout Page

Adding Custom Fields in SamCart

First, let's add custom fields to SamCart as shown below:



The picture only shows `utm_source`, but you can add as many parameters as you'd like to track.

Check here for a list of the parameters you can track with our solution: [What can I track with UTMSimple?](#)

Adding Hidden Fields to Your Checkout Page

Edit your checkout page (Design) and add all the custom fields you've added in Step 1, as shown in the image below.

The screenshot displays a website editor interface for configuring a checkout form. The left pane shows the form layout with sections for CONTACT INFORMATION and BILLING INFORMATION. The right pane shows settings for 'Checkout Form', including checkboxes for form fields (Billing Address, Shipping Address, Phone Number, Email Confirmation, Zip Code, Recaptcha, Quantity) and custom fields (handl_ip, user_agent, _fbc, _fbp, fbclid, gclid, gaclientid, ttclid, splittest, utm_campaign, wbraid, gbraid, tbl_click_id, rc_uuid, handl_event_id).

Insert UTMSimple Code into the Checkout Page

Go to [Products > Advanced Settings](#) and copy-paste the following code into [PIXELS > Embed HTML/Scripts in Footer](#) section. Make sure to update your license key accordingly. This code will hide all the custom fields and prefill them accordingly with the data coming from the client's COOKIES.

```
<!-- Global site UTM Simple Tracking Start-->
<script>
handl_custom_params=[];var
handl_js=document.createElement("script");handl_js.setAttribute("src","https://track.utmsimple
.com/utm.js?license=YOURLICENSEKEY"),document.head.appendChild(handl_js),
handl_js.onload=function(){
[]var data = HandL.getAll()
```

```

    setTimeout(
      function() {
        jQuery("[id*='custom']").map((i, v) => {

          let key = $(v).next().html()
          let c_val = data[key]

          if (c_val) {
            $(v).val(c_val)
          }
        })
      }, 1000
    );
  }
  $(document).ready(function() {
    jQuery("[id*='custom']").map((i, v) => {
      jQuery(v).parent().parent().parent().hide()
    })
  })
};
</script>
<!-- Global site UTM Simple Tracking End-->

```